L Number	Hits	Search Text	DB	Time stamp
1	1	5459871.pn.	USPAT	2004/05/28
2	1	5459871.pn.and manager\$1 with resource\$1	USPAT	12:49 2004/05/28 12:51
3	18	(table\$1 or list\$1 or map\$4)with resource\$1 adj manager\$1 with user\$1	USPAT	2004/05/28
4	20	<pre>(table\$1 or list\$1 or map\$4 or tree\$2 or link\$1)with resource\$1 adj manager\$1 with user\$1</pre>	USPAT	2004/05/28 13:03
5	2	(table\$1 or list\$1 or map\$4 or tree\$2 or link\$1)with resource\$1 adj manager\$1 with user\$1 not ((table\$1 or list\$1 or map\$4)with resource\$1 adj manager\$1 with user\$1)	USPAT	2004/05/28 13:04
6	14	associat\$4 with resource\$1 adj manager\$1 with user\$1 not ((table\$1 or list\$1 or map\$4)with resource\$1 adj manager\$1 with user\$1)	USPAT	2004/05/28 13:06
7	10	mappings with user\$1 with manager\$1	USPAT	2004/05/28
8	2	mappings with user\$1 with manager\$1 and resource\$1 adj manager\$1	USPAT	2004/05/28
9	869712	mappings or table\$1 or list\$1 with user\$1 with resource\$1 adj manager\$1	USPAT	2004/05/28
10	15	(mappings or table\$1 or list\$1) with user\$1 with resource\$1 adj manager\$1	USPAT	2004/05/28
11	1	(mappings or table\$1 or list\$1) with user\$1 with resource\$1 adj managers	USPAT	2004/05/28
12	1	<pre>(mappings or table\$1 or list\$1 or match\$3) with user\$1 with resource\$1 adj managers</pre>	USPAT	2004/05/28 13:12
13	109	(mappings or table\$1 or list\$1) with user\$1 with dispatch\$3	USPAT	2004/05/28
14	3	(mappings or table\$1 or list\$1) with user\$1 with dispatch\$3 and resource adj manager\$1	USPAT	2004/05/28 13:15
15	245	(mappings or table\$1 or list\$1) with resource adj manager\$1	USPAT	2004/05/28
16	6	(mappings or table\$1 or list\$1) with resource adj manager\$1.ab.	USPAT	2004/05/28
17	6	<pre>(mappings or table\$1 or list\$1) with resource adj manager\$1.ab. and (mappings or table\$1 or list\$1) with resource adj manager\$1</pre>	USPAT	2004/05/28
18	. 27	<pre>(map\$1 or table\$1 or list\$1) with resource adj manager\$1 near15 (user\$1 or client\$1)</pre>	USPAT	2004/05/28 13:29
19	1	<pre>(map\$1 or table\$1 or list\$1) with resource adj manager\$1 near15 (assign\$4 or link\$3) with (user\$1 or client\$1)</pre>	USPAT	2004/05/28 13:30
_	101	pre\$allocat\$3 with resource\$1	USPAT	2004/05/26 18:24
-	3	pre\$allocat\$3 with resource\$1.ab.	USPAT	2004/05/23
-	1	pre\$allocat\$3 with resource\$1.ab. and manager\$3	USPAT	2004/05/23 19:41
-	25		USPAT	2004/05/23 19:41
-	27	pre\$allocat\$3 with resource\$1 and manager\$3 with resource\$1	USPAT	2004/05/23 19:41
-	5	pre\$allocat\$3 with resource\$1 and manager\$3 with resource\$1 and rout\$3 with request\$1 with manager\$1	USPAT	2004/05/23 19:45
-	2	pre\$allocat\$3 with resource\$1 and manager\$3 with resource\$1 and rout\$3 with request\$1 with manager\$1 and register\$3	USPAT	2004/05/23
-	1	6591358.URPN.	USPAT	2004/05/23 19:43
-	0	pre\$allocat\$3 with resource\$1 near10 register\$3	USPAT	2004/05/23 19:46
		/28/04 2:00:55 DM Page 1		

Search History 5/28/04 2:00:55 PM Page 1

_	51	pre\$allocat\$3 with resource\$1 and register\$3	USPAT	2004/05/23
-	15	pre\$allocat\$3 with resource\$1 and register\$3 with (user\$1 or consumer or	USPAT	2004/05/23
-	11	client\$1 or computer\$1) pre\$allocat\$3 with resource\$1 and register\$3 with (user\$1 or consumer or	USPAT	2004/05/23
-	4	client\$1 or computer\$1) and manager\$1 pre\$allocat\$3 with resource\$1 and register\$3 with (user\$1 or consumer or client\$1 or computer\$1) and manager\$1	USPAT	2004/05/23 19:49
_	35152	with resource\$1	USPAT	2004/05/23
_	37		USPAT	2004/05/23
-	1	register\$3 with (user\$1 or consumer or client\$1 or computer\$1)near15 allocat\$3 with resource\$1 and pre\$allocat\$3	USPAT	2004/05/23 19:51
-	0	register\$3 with (user\$1 or consumer or client\$1 or computer\$1)near15 allocat\$3 with resource\$1 and pre\$allocat\$3 and	USPAT	2004/05/23
_	45	manager\$3 register\$3 near15 resource\$1 and pre\$allocat\$3	USPAT	2004/05/23
-	3	register\$3 near15 resource\$1 and pre\$allocat\$3.ab.	USPAT	2004/05/23 19:51
_	27	(register\$3 near15 resource\$1 and pre\$allocat\$3).ab. register\$3 near15 resource\$1 and	USPAT	2004/05/23 19:51 2004/05/23
_	4	pre\$allocat\$3 and manager\$3 register\$3 with (user\$1 or consumer or	USPAT	19:52 2004/05/23
_	7	client\$1 or computer\$1)near15 resource\$1 and pre\$allocat\$3 (pre\$allocat\$3 or allocat\$3) with	USPAT	19:54
8		resource\$1 near15 registering with (user\$1 or consumer or client\$1 or computer\$1)		12:45
-	14		USPAT	2004/05/24 12:29
-	9	request\$3 with resource\$1 near15 registering with (user\$1 or consumer or client\$1 or computer\$1)not ((pre\$allocat\$3 or allocat\$3) with resource\$1 near15 registering with (user\$1 or consumer or client\$1 or computer\$1)) and manager\$1	USPAT	2004/05/24
-	3	I = .	USPAT	2004/05/24 12:29
-	7	(pre\$allocat\$3 or allocat\$3) with resource\$1 near15 registering with (user\$1 or consumer or client\$1 or	USPAT	2004/05/24 12:36
_	0	computer\$1) and registering request\$3 with resource\$1 near15 registering with (user\$1 or consumer or client\$1 or computer\$1) and cookie\$1	USPAT	2004/05/24 12:45
-	0	(pre\$allocat\$3 or allocat\$3) with resource\$1 near15 registering with (user\$1 or consumer or client\$1 or	USPAT	2004/05/24 12:45
	L	computer\$1) and cookie\$1	1	
Search His		/28/04 2:00:55 PM Page 2		

Search History 5/28/04 2:00:55 PM

1 request3 with resources1 near15 registering with (uses1) or consumer or client31 or computer31 request31 with resources1 near15 uspan consumer or client31 or computer31 uspan consumer or client31 or computer31 and registering uspan registering preallocat33 with resources1 near10 uspan uspan consumer or client31 or computer31 and registering uspan uspan consumer31 uspan uspan consumer31 uspan uspan consumer31 uspan consumer31 uspan consumer31 uspan uspan consumer31 u					
client31 or computer\$1	-	17	request\$3 with resource\$1 near15	USPAT	2004/05/24
17 request3 with resource\$1 near15 USPAT 2004/05/24 registering with resource\$1 near10 USPAT 12:46 12:	1		registering with (user\$1 or consumer or		12:46
Tegistering with (user\$1 or consumer or client\$1 or computer\$1) and registering preallocat\$3 with resource\$1 near10					
Client51 or computer\$1) and registering	-	17	request\$3 with resource\$1 near15	USPAT	
- 0 preallocat33 with resource\$1 near10			registering with (users) or consumer or		12:46
registering		٥	problems with resources pearly	HEDAT	2004/05/25
1	-	١		OSIAI	
registering preallocat\$3 with resource\$1 and preallocat\$3 with resource\$1 and registering are preallocat\$3 with resource\$1 and map\$4 near15 resource\$1 near15 manager\$1 2 preallocat\$3 or pre\$1 preallocat\$3) with resource\$1 near15 manager\$1 2 (preallocat\$3 or pre\$4 preallocat\$3) with resource\$1 near15 manager\$1 preallocat\$3) with resource\$1 near15 manager\$1 preallocat\$3) with uspan resource\$1	_	4		USPAT	
		_			15:38
4 prealiocat33 with resource\$1 and registering 2 prealiocat33 with resource\$1 and map\$4 inear15 resource\$1 manager\$1	_	39	preallocat\$3 with resource\$1	USPAT	2004/05/25
registering repallocats3 with resource\$1 and map\$4 near15 resource\$1 and map\$4 resource\$1 and map\$4 near15 manager\$1					
preallocat\$3 with resource\$1 and map\$4	-	4		USPAT	1
		_			
	-	2		USPAT	
resource\$1 and map\$4 near15 resource\$1 near15 manager\$1 (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 resource\$1.ab. and registering (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 resource\$1.ab. and registering (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 resource\$1.ab. and manager\$1 (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 resource\$1.ab. and manager\$1 (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 resource\$1 and registering with USPAT 2004/05/25 registering with (USPAT 2004/05/25 15:05) (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 registering with (USPAT 2004/05/25 15:05) (preallocat\$3 or pre\$allocat\$3) near15 registering with (USPAT 2004/05/25 16:24 0 (preallocat\$3 or pre\$allocat\$3) near15 registering and registering with USPAT 2004/05/25 registering using usi		ر ا		IICDAT!	. ,
	-			USPAI	
101 (preallocat\$3 or pre\$allocat\$3) with USPAT 2004/05/25 15:48 2004/05/25 2004/05					10.45
resource\$1 0 (preallocat\$3 or pre\$allocat\$3) with resource\$1.ab. and registering (preallocat\$3) resource\$1.ab. and registering (preallocat\$3) resource\$1.ab. (preallocat\$3) with resource\$1.ab. (preallocat\$3) with uspAT (preallocat\$3 or pre\$allocat\$3) with uspAT (preallocat\$3 or pre\$allocat\$3) with resource\$1.ab. questoring (preallocat\$3 or pre\$allocat\$3) with uspAT (preallocat\$3 or pre\$allocat\$3) with resource\$1 and registering with user\$1 (preallocat\$3 or pre\$allocat\$3) with resource\$1 near15 (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) with resource\$1 near15 (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) with resource\$1 and regist\$7 with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering strength (user\$1 or consumer\$1) (uspAT (2004/05/25 registering strength) (user\$1 or consumer\$1) (uspAT (2004/05/25 register\$3).ab. (uspAT (2004/05/25 register\$3	_	101		USPAT	2004/05/25
		•••			15:48
resource\$1.ab. and registering	-	0	(preallocat\$3 or pre\$allocat\$3) with	USPAT	,
Tesource\$1.ab. 15:46 15:46 16:24 16:25 16:			resource\$1.ab. and registering		
1	-	3		USPAT	1
12		_	·	, , , , , , , , , , , , , , , , , , ,	
12	-	1		USPAT	1
Tesource\$1 and registering		1.0		HEDAT	
Comparison of the present of the p	1 -	12		OSFAI	
resource\$1 and registering with user\$1		6		USPAT	
- 6 (preallocat\$3 or pre\$allocat\$3) with resource\$1 near15 (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) with resource\$1 (preallocat\$3) with resource\$1 and regist\$7 with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) with resource\$1 and regist\$7 with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering vith (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering (preallocat\$3 or pre\$allocat\$3) near15 register\$3.ab. (pre\$allocat\$3) near15 register\$3.ab. (pre\$allocat\$3) or preallocat\$3) ab. (uspat 2004/05/25 preallocat\$3) with resource\$1 or preallocat\$3) with resource\$1 or preallocat\$3 or preallocat\$3) with resource\$1 or preallocat\$3) with resource\$1 or preallocat\$3) with resource\$1 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 vith request\$1 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (uspat 2004/05/25 preallocat\$3) or preallocat\$3 or preallocat\$3 o				322112	
Tesource\$1 near15 (user\$1 or consumer\$1)	_	6		USPAT	2004/05/25
resource\$1					
14	-	101		USPAT	i i
resource\$1 and regist\$7 with (user\$1 or consumer\$1)	ļ				1
Consumer\$1 Consumer\$2 Con	-	14		USPAT	
- 0 (preallocat\$3 or pre\$allocat\$3) near15 registering with (user\$1 or consumer\$1) (preallocat\$3 or pre\$allocat\$3) near15 registering (preallocat\$3) near15 registering (preallocat\$3) near15 (preallocat\$3 or pre\$allocat\$3) near15 uspat 2004/05/25 register\$3.ab. (preallocat\$3 or pre\$allocat\$3) near15 uspat 2004/05/25 register\$3.ab. (preallocat\$3 or pre\$allocat\$3) near15 uspat 2004/05/25 register\$3 - 1 6539481.pn. and (pre\$allocat\$3 or preallocat\$3) uspat 2004/05/25 preallocat\$3) (pre\$allocat\$3) uspat 2004/05/25 preallocat\$3) (pre\$allocat\$3) uspat 2004/05/25 preallocat\$3) (pre\$allocat\$3 or preallocat\$3).ab. uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 preallocat\$3) with resource\$1 uspat 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 request\$1 roy9\\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with resource\$1 a			9		16:24
registering with (user\$1 or consumer\$1)	_	0		USPAT	2004/05/25
- 0 (preallocat\$3 or pre\$allocat\$3) near15 registering 16:25 - 1 (preallocat\$3 or pre\$allocat\$3) near15 registering 16:25 - 2004/05/25 register\$3.ab 32 (preallocat\$3 or pre\$allocat\$3) near15 register\$3 - 1 6539481.pn 0 6539481.pn.and (pre\$allocat\$3 or preallocat\$3) register\$3 - 0 709/\$3.ccls. and (pre\$allocat\$3) register\$3 - 17:24 - 1709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) register\$3 - 17:26 - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) register\$3 - 17:27 - 1709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) register\$3 - 17:27 - 1709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 1709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 register\$3 - 17:28 - 1709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 register\$3 - 17:27 - 18 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 register\$3 - 18 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 register\$3 - 2004/05/25				051111	
registering	_	l o		USPAT	2004/05/25
register\$3.ab. (preallocat\$3 or pre\$allocat\$3) near15 register\$3 16:25 2004/05/25 register\$3 16:34 2004/05/25 16:34 2004/05/25 16:34 2004/05/25 16:34 2004/05/25 16:34 2004/05/25 16:34 2004/05/25 16:34 2004/05/25 17:23 2004/05/25 17:23 2004/05/25 17:23 2004/05/25 17:24 2004/05/25 17:26 174 709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) 174 709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) 179 1709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) with resource\$1 1709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) with resource\$1 1709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) with resource\$1 1709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) with resource\$1 10 709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 10 709/\$3.ccls. and (pre\$allocat\$3 or USPAT 2004/05/25 preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:31 WISPAT 2004/05/25 17:33 2004/05/25					
- 32 (preallocat\$3 or pre\$allocat\$3) near15	_	1		USPAT	
register\$3					
- 1 6539481.pn. USPAT 2004/05/25 16:34 - 0 6539481.pn.and (pre\$allocat\$3 or preallocat\$3) - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 - 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 - 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 - 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 179/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 1799/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 58 (pre\$allocat\$3 or preallocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 - 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25	-	32		USPAT	1
- 0 6539481.pn.and (pre\$allocat\$3 or preallocat\$3) - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 - 5709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 - 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3).ab. 17:24 - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) - 17 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 and rout\$3 with resource\$1 and rout\$3 with resour		,		מיעם אוו	
- 0 6539481.pn.and (pre\$allocat\$3 or preallocat\$3) (pre\$allocat\$3) ab. USPAT 2004/05/25 17:23 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:24 - 5 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) ab. USPAT 2004/05/25 17:26 - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) USPAT 2004/05/25 17:26 - 31 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 17:27 - 11 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25	-	'	0333401.pn.	USPAI	
preallocat\$3)	_	0	6539481.pn.and (preSallocatS3 or	USPAT	
- 58 (pre\$allocat\$3 or preallocat\$3).ab. - 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) or preallocat\$3).ab. - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) or preallocat\$3) - 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) - 175 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 176 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 - 187 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 - 198 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 - 199 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 - 199 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 - 199 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 - 199 709/\$3.ccls. and (pre\$allocat\$3) ab. - 2004/05/25 - 2004/05/25 - 2004/05/25 - 2004/05/25 - 2004/05/25 - 2004/05/25 - 2004/05/25					1
- 5 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3).ab 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3).ab 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) - 31 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 17 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab 58 (pre\$allocat\$3 or preallocat\$3).ab USPAT 2004/05/25 - 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti.	-	58		USPAT	1
preallocat\$3).ab. 17:26 2004/05/25 2					1
- 174 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) - 31 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 11 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 127 1709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. - 58 (pre\$allocat\$3 or preallocat\$3).ti. - USPAT 2004/05/25 17:33 - USPAT 2004/05/25 17:33 - USPAT 2004/05/25 17:33	-	5	'-	USPAT	
preallocat\$3)					1
- 31 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 - 11 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab 4 (pre\$allocat\$3 or preallocat\$3).ti USPAT 2004/05/25 - 17:33 - 2004/05/25	-	174		USPAT	
preallocat\$3) with resource\$1				IISDAT	
- 11 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25	-	31		USFAI	
preallocat\$3) with resource\$1 and rout\$3 with request\$1 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25 17:31 USPAT 2004/05/25 17:33 2004/05/25	_	11		USPAT	
with request\$1 - 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with reduest\$1 and rout\$3 with request\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25		**			1
- 10 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25					
near15 request\$1 - 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25 17:33 2004/05/25	-	10	709/\$3.ccls. and (pre\$allocat\$3 or	USPAT	1
- 4 709/\$3.ccls. and (pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25					17:27
preallocat\$3) with resource\$1 and rout\$3 with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25		1			
with request\$1 with manager\$1 - 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 - 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25	-	4	/09/\$3.ccls. and (pre\$allocat\$3 or	USPAT	
- 58 (pre\$allocat\$3 or preallocat\$3).ab. USPAT 2004/05/25 17:33 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25					17:31
	1_	5.9	(presallocats) or preallocats) ab	USPAT	2004/05/25
- 4 (pre\$allocat\$3 or preallocat\$3).ti. USPAT 2004/05/25			'projections's or prodriously's, as.		
	_	4	(pre\$allocat\$3 or preallocat\$3).ti.	USPAT	
		L	<u> </u>		

-	0	<pre>(pre\$allocat\$3 or preallocat\$3).ti.and resource\$1 with manager\$1</pre>	USPAT	2004/05/25
-	5	(pre\$allocat\$3 or preallocat\$3).ab.and	USPAT	2004/05/25
_	5	resource\$1 with manager\$! (pre\$allocat\$3 or preallocat\$3).ab.and	USPAT	17:33 2004/05/25
-	5	resource\$1 with manager\$1 (pre\$allocat\$3 or preallocat\$3).ab.and	USPAT	17:34 2004/05/25
		resource\$1 with manager\$1 and (pre\$allocat\$3 or preallocat\$3)		17:35
_	1	6539481.pn.	USPAT	2004/05/25
_	0	6539481.URPN.	USPAT	2004/05/25 19:03
-	6	("5606663" "5774650" "5923842" "6044471" "6055637" "6078955").PN.	USPAT	2004/05/25 19:06
-	0	("5606663" "5774650" "5923842" "6044471" "6055637" "6078955").PN.	USPAT	2004/05/25 19:05
_	0	and rout\$3 with request\$1 ("5606663" "5774650" "5923842" "6044471" "6055637" "6078955").PN.and	USPAT	2004/05/25
-	0	(pre\$allocat\$3 or preallocat\$3) "20030018784"	USPAT	2004/05/26
-	1	"20030018784"	USPAT; US-PGPUB	2004/05/26 13:17
-	189	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1</pre>	USPAT; US-PGPUB	2004/05/26 13:17
_	101	(pre\$allocat\$3 or preallocat\$3) with resource\$1	USPAT	2004/05/26 13:19
-	3	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1.ab.</pre>	USPAT	2004/05/26 13:18
-	1	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1.ab.and rout\$3</pre>	USPAT	2004/05/26 13:18
-	0	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1.ab.and rout\$3 near15 manager\$1</pre>	USPAT	2004/05/26 13:18
-	0	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1.ab.and rout\$3 and manager\$1</pre>	USPAT	2004/05/26
-	4	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1 and rout\$3 with request\$1 with resource\$1 with manager\$1</pre>	USPAT	2004/05/26
-	26	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1 and allocat\$3.ab.</pre>	USPAT	2004/05/26
-	17	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1 and allocat\$3.ab. and rout\$3</pre>	USPAT	2004/05/26
-	7	<pre>(pre\$allocat\$3 or preallocat\$3) with resource\$1 and allocat\$3.ab. and (routing or router\$1)</pre>	USPAT	2004/05/26 13:29
_	1	(pre\$allocat\$3 or preallocat\$3) with resource\$1 and allocat\$3.ab. and (routing or router\$1) with manager\$1	USPAT	2004/05/26 13:32
-	5	(pre\$allocat\$3 or preallocat\$3) with resource\$1 and allocat\$3.ab. and (routing	USPAT	2004/05/26 13:32
-	2	or router\$1) and manager\$1 (pre\$allocat\$3 or preallocat\$3) with resource\$1 and allocat\$3.ab. and (routing or router\$1) and manager\$1 with	USPAT	2004/05/26 13:32
-	46206	resource\$1 lett or viswanathan	USPAT	2004/05/26
-	277	(lett or viswanathan).in.	USPAT	13:35 2004/05/26 13:37
_	4	((john near2 lett) or(ram near2 viswanathan)).in.	USPAT	2004/05/26 13:37
_	1	<pre>((john near2 lett) or(ram near2 viswanathan)).in.and resource\$1 with allocat\$3</pre>	USPAT	2004/05/26 13:37
-	7	(lett or viswanathan).in.and allocat\$3 with resource\$1	USPAT	2004/05/26 13:45
-	0	20030018784.URPN.	USPAT	2004/05/26 13:39
-	58	(pre\$allocat\$3 or preallocat\$3).ab.	USPAT	2004/05/26 13:48

		_		
-	2	(pre\$allocat\$3 or preallocat\$3).ab. and	USPAT	2004/05/26 13:47
-	9	<pre>(router\$1 or routing)with request\$1 (pre\$allocat\$3 or preallocat\$3).ab.and</pre>	USPAT	2004/05/26
_	0	resource\$1 with manage\$7 (pre\$allocat\$3).ab.and	USPAT	13:48 2004/05/26
	5	resource\$1 with manage\$7 near15 rout\$3 (pre\$allocat\$3 or preallocat\$3).ab.and	USPAT	13:49 2004/05/26
	•	resource\$1 with manage\$7 and rout\$3		13:49
-	31	routing with request\$1 with resource\$1 with manager\$1	USPAT	2004/05/26 14:49
-	1	routing with request\$1 with resource\$1 with manager\$1.ab.	USPAT	2004/05/26 14:50
-	0	routing with request\$1 with resource\$1	USPAT	2004/05/26
-	0	with manager\$1.ab. and preallocat\$3 routing with request\$1 with resource\$1	USPAT	14:50 2004/05/26
_	1	with manager\$1.ab. and pre\$allocat\$3 routing with request\$1 with resource\$1	USPAT	14:50 2004/05/26
	0	with manager\$1.ab. and allocat\$3	USPAT	18:24 2004/05/26
-		6119153.pn. and (pre\$allocat\$3 or preallocat\$3)		18:24
-	0	6119153.pn. and allocat\$3	USPAT	2004/05/26 18:24
_	63	identif\$4 with request\$1 with cookie\$1	USPAT	2004/05/27 13:00
-	2	identif\$4 with request\$1 with	USPAT	2004/05/27
-	63	cookie\$1.ab. identif\$4 with request\$1 with cookie\$1	USPAT	13:01 2004/05/27
_	2	identif\$4 with request\$1 with	USPAT	13:01 2004/05/27
		<pre>cookie\$1.ab. and identif\$4 with request\$1 with cookie\$1</pre>		13:02
-	1	mapping with (resource\$1 adj manager\$1)	USPAT	2004/05/27
_	18	near15 (resource\$1 or user\$1).ab. mapping with (resource\$1 adj manager\$1)	USPAT	13:23 2004/05/27
_	326	near15 (resource\$1 or user\$1) (resource\$1 adj manager\$1)with between	USPAT	13:42 2004/05/27
	53	<pre>with (resource\$1 or user\$1) (associat\$3 or map\$4) with(resource\$1 adj</pre>	USPAT	13:43 2004/05/27
] 53	manager\$1) with between with (resource\$1 or user\$1)	OSTAI	13:43
-	19	(resource\$1 adj manager\$1) with between	USPAT	2004/05/27
_	6	with (resource\$1 or user\$1).ab. map\$4 with (resource\$1 adj manager\$1).ab.	USPAT	13:44 2004/05/27
_	107	map\$4 with (resource\$1 adj manager\$1).ab.	USPAT	14:31 2004/05/27
	6	map\$4 with (resource\$1 adj manager\$1) map\$4 with (resource\$1 adj manager\$1).ab.	USPAT	14:31 2004/05/27
		andmap\$4 with (resource\$1 adj manager\$1)		14:31
-	6	map\$4 with (resource\$1 adj manager\$1).ab. and map\$4 with (resource\$1 adj manager\$1)	USPAT	2004/05/27 14:31
-	28	map\$4 with resource\$1 with between with manager\$1	USPAT	2004/05/27 15:07
-	1	map\$4 with resource\$1 with between with manager\$1.ab.	USPAT	2004/05/27 15:11
-	21	managers with (map\$4 or list\$3) with	USPAT	2004/05/27
_	15	resources managers with (map\$4 or list\$3) with	USPAT	17:02 2004/05/27
_	13	resources and rout\$3 managers with (map\$4 or list\$3) with	USPAT	17:52 2004/05/27
_	2	resources and rout\$3 and database\$1 ("6504913" "5926535" "6539481" "6401125"	USPAT	18:01 2004/05/27
		"6631134").pn. and (rout\$3 or replicat\$3) ("6504913" "5926535" "6539481" "6401125"		18:02 2004/05/27
-	2	"6631134").pn. and (rout\$3 or replicat\$3)	USPAT	18:11
_	0	and database\$1 ("6504913" "5926535" "6539481" "6401125"	USPAT	2004/05/27
		"6631134").pn. and (map\$4 or link\$3)with manager\$1		18:12
_	1		USPAT	2004/05/27 18:12
_	3	("6504913" "5926535" "6539481" "6401125"	USPAT	2004/05/27
L	L	"6631134").pn. and register\$4	<u></u>	18:13

-	2 ("6504913" "5926535" "6539481" "6401125" "6631134").pn. and register\$4 with	USPAT	2004/05/27 18:16
-	manager\$1 4 map\$4 with resource\$1 adj manager\$1 with	USPAT	2004/05/27

Search History 5/28/04 2:00:55 PM Page 6